

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	96	(access near4 memory near5 (standby or reduc\$3)).ti.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/07/15 11:00
L2	205	(access near4 memory near5 (standby or reduc\$3)).ti.	EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/15 11:00
L3	180	(access near4 (storage\$1 or memory) near5 ((standby or reduc\$3) adj1 power))	USPAT	OR	OFF	2005/07/15 11:01
L4	87	(access near4 (storage\$1 or memory) near5 ((standby or reduc\$3) adj1 power))	US-PGPUB; USOCR	OR	OFF	2005/07/15 11:01
L5	126	(access near4 (storage\$1 or memory) near5 ((standby or reduc\$3) adj1 power))	EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/15 11:01
L6	10	3 same ((off down) near3 power)	USPAT	OR	OFF	2005/07/15 11:15
L7	0	5 same ((off down) near3 power)	EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/15 11:15
L8	0	(access near4 (storage\$1 or memory) with ((standby or reduc\$3 or sleep\$3 or low) near2 power)) same while	USPAT	OR	OFF	2005/07/15 11:14
L9	0	(access near4 (storage\$1 or memory) with ((standby or reduc\$3 or sleep\$3 or low) near2 power)) same while	EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/15 11:14
L10	0	(access near4 (storage\$1 or memory) with ((standby or reduc\$3 or sleep\$3 or low) near2 power)) same while	US-PGPUB; USOCR	OR	OFF	2005/07/15 11:14
L11	339	((sleep or reduc\$3 or low) near3 mode) with (access\$3 near8 (cach\$2 or memory or storage))	USPAT	OR	OFF	2005/07/15 11:15
L12	97	((sleep or reduc\$3 or low) near3 mode) with (access\$3 near8 (cach\$2 or memory or storage))	EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/15 11:15
L13	18	11 same ((off down) near3 power)	USPAT	OR	OFF	2005/07/15 11:15
L14	0	13 same ((off down) near3 power)	EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/15 11:15